Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	483	pars\$3 adj XML adj document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/14 10:07
S2	483	pars\$3 adj XML adj document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/05 14:24
S3	11	receiv\$3 adj3 (OS or operating adj system) adj operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:37
S4	0	(identify or locate) (network adj device adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:43
S5 .	0	(identify or locate) (network adj device adj operating adj system adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WΠΗ	OFF	2007/02/05 14:44
S6	2	(identify or locate) (operating adj system adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:45
S7	1	(identify or locate) (OS adj operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:47

	S8	167	configur\$ monitor\$2 network	US-PGPUB;	WITH	OFF	2007/02/05 14:55
	•		components	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
	S9	10883	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	WITH	OFF	2007/02/05 14:56
				DERWENT; IBM_TDB	·		Section 1
	S10	11032	709/224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/05 14:56
,	S11	779	(Select\$3 or choos\$3)(Operating System or OS) component operation	US-PGPUB; USPAT; USOCR;	WITH	ON	2007/02/06 12:46
	· · · · .			FPRS; EPO; JPO; DERWENT; IBM_TDB			
	S12	176	(Select\$3 or choos\$3) device (Operating System or OS) component operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/06 12:46
	S13	31	(Select\$3 or choos\$3) near4 device (Operating System or OS) component operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/06 16:41
	S14	8	(Select\$3 or choos\$3) near component device (Operating System or OS) operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/06 15:01

S15	17	Anand Iyer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:04
S16	0	Venkat Kankipati	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:05
S17	27	Shankar Natarajan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:06
S18	25	Shankar near Natarajan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:08
S19	0	Srinivasan Nariangadu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/06 15:09
S20	39	Receiv\$3 (network adj device) XML (data or document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/07 08:32
S21		process\$3 adj3 network adj3 device adj3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/07 08:34

	ı	1	1	1		
S22	10911	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/07 08:34
S23	11059	709/224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/07 08:34
S24	4108	S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 08:34
S25	2	S24 S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON ALLON	2007/02/07 08:34
S26	2	"20030037128"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF .	2007/02/15 10:43
S27	4	creat\$3 near3 (responsive or reply) XML adj (document or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/12 08:35
S28 ⁻	10645	XML adj (document or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/12 08:37

	Т		r	1		
S29	10914	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/12 08:37
S30	11066	709/224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/12 08:37
S31	116	S29 S30 S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/12 09:35
S32	7	responsive adj XML adj document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/12 09:35
S33	3	"7,013,329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 07:52
S34	2	map\$3 near (data adj structure) data near operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:07
S35	0	map\$3 adj2 data adj "2" (data adj structure) data near3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:08

S36	. 1	map\$3 adj2 data adj2 (data adj structure) data near3 operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:09
S37	49	map\$3 adj2 data adj2 (data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:15
S38	0	map\$3 adj2 data adj2 (data adj structure) (validat\$3 adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:12
S39	1021	map\$3 adj2 data adj2 (structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:40
S40	0	map\$3 adj2 data adj2 (structure) (validate adj2 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:16
S41	1	map\$3 adj2 data adj2 (structure) (validate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:17
S42	8	map\$3 adj2 data adj2 (structure) (validat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 09:19

				T	
S43	10966	709/223	US-PGPUB; WITH USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:19
S44	11111	709/224	US-PGPUB; WITH USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OFF	2007/02/13 09:19
-			IBM_TDB		
S45	4136	S43 S44	US-PGPUB; AND USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:20
S46	17941	S43 S44	US-PGPUB; OR USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OFF	2007/02/14 13:31
	* +		IBM_TDB		
S47	5578	validat\$3 adj data	US-PGPUB; AND USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:25
S48	203	S46 S47	US-PGPUB; AND USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:20
S49	507	(validat\$3 adj data) operation	US-PGPUB; SAME USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF	2007/02/13 09:39

				,		
S50	12	S46 S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/13 09:26
S51	0	S49 S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/13 09:39
S52	15	S49 S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 10:45
S53	23	query identify components (OS or operating adj system)	US-PGPUB; USPAT; USOCR; FPRS;	SAME	OFF	2007/02/13 13:04
			EPO; JPO; DERWENT; IBM_TDB	0 0		
S54	1	query identify adj10 components near5 (OS or operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/13 13:18
S55	3	query identify adj10 components (OS or operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME .	OFF	2007/02/13 13:18
S56	57	"5,396,626"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/14 10:34

S57	688	quant VML adi (data or deciment)	LIC DCDUB.	WITH	OFF	2007/02/14 10:50
33/	008	query XML adj (data or document)	US-PGPUB; USPAT; USOCR;	AATIL	UFF	2007/02/14 10:50
			FPRS; EPO; JPO;			·
			DERWENT; IBM_TDB			
S58	71	identif\$4 near2 (component or object) adj5 supported	US-PGPUB; USPAT;	WITH ·	OFF	2007/02/14 10:58
		object) dajo supported	USOCR;	*	·	*
,		÷ ?	FPRS; EPO; JPO;			* 0 in 7
			DERWENT;	= -		
		ي يان يان يان الله الله الله الله الله الله الله ال	IBM_TDB		• 6	The section of the se
S59	46	query identif\$4 near2 (component or object) (OS or operating system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 10:59
S60	645	query identif\$4 near2 (component	US-PGPUB;	WITH	OFF	2007/02/14 11:00
		or object)	USPAT; USOCR;			*
	1	And the second of the second o	FPRS;	error march of the	·	
	. *.		EPO; JPO; DERWENT;		· - ·	
			IBM_TDB			6 ga 1.75
S61	218	query near2 identif\$4 near2 (component or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/14 11:00
S62	28	S57 S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 11:36
S63	15	identif\$4 adj3 (object or attribute or method) supported component (operating adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 11:48

S64		identify adj3 (object or attribute or method) support\$2 component	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 13:23
S65	724	(monitor\$3 or configur\$5) near3 device adj component	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/14 13:31
S66	10966	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2007/02/14 13:32
S67	11111	709/224	US-PGPUB; USPAT; USOCR;	WITH	OFF	2007/02/14 13:32
	- 0		FPRS; EPO; JPO; DERWENT; IBM_TDB			
S68	17941	S66 S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/14 13:32
S69	37	S68 S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 14:59
S70	2	(receiv\$3 or transmit\$3) near5 (query or request) adj5 (method near2 support\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 14:23

S71	0	(Query or request) adj3 about adj3 method adj3 supported	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 15:00
S72	114	receiv\$3 adj5 (invocation or invoke) adj5 method (object or component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/14 15:57
S73	10	S68 S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/14 15:57
S74	. 2	"20030018764"	US-PGPUB;	SAME	OFF	2007/02/15 10:44
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	uz - 4 a ·		10
S75	46	"6041325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/15 10:44
S76		"6970869"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2007/02/15 10:44